

# Towson University Storm System Condition Evaluation

Towson, Baltimore County, Maryland

## SERVICES

- GIS Mapping and Analysis
- Infrastructure Assessment
- Public Outreach
- Prepared Report
- Developed Strategies

## PROJECT DETAILS

### Client

Towson University/Waste Strategies

### Project Contact

Larry Holbrook, Director  
410-704-3806  
lholbrook@towson.edu

### Project Owner

Towson University

### Project Address

8000 York Road  
Towson, MD 21252

### Date of Contract

2016

### CEDARVILLE Contract Value

\$13,800

### Total Project Cost

\$35,000

### Date of Completion

2017



## University Sets Goals for MS4 Regulations through GIS-Based Mapping System, Public Outreach, and Annual Reporting

CEDARVILLE has supported Towson University by conducting multiple studies on Asset Management, Public Education and Outreach and Stormwater Permitting. Asset Management.

CEDARVILLE conducted a stormwater infrastructure field verification of existing structures to provide the basis for the integration of a new GIS based stormwater mapping system. Each structure was documented, and GIS data and photographs provided. Evaluated the condition of each stormwater structure and developed a schedule for short-term and long-term maintenance and repairs. This effort provided a framework for the University's stormwater asset management program, increasing efficiency by enhancing planning efforts and reducing costs.

CEDARVILLE performed field verification of stormwater assets on the TU campus in the fall of 2016. A stormwater infrastructure map was created that listed all the University's storm pipes, structures, outfalls, and BMPS. One outcome of that work revealed that certain stormwater conveyance structures (pipes and culverts) are in imminent need of repair.

CEDARVILLE performed a desktop evaluation of the stormwater assets and assigned a conditional ranking to each structure based upon its need for repair and/or replacement. CEDARVILLE prioritized assets in need of immediate action (0 to 6 months), those needing certain action (one to two years), and those where maintenance or future repairs should be budgeted (2 to 5 years). A written report of findings included cost estimates for the recommended repairs/replacement, and the priority assessment of the repair/replacement work.

## Asset Management

